

**GOVERNMENT OF TELANGANA
ABSTRACT**

Public Servants – PR&RD Department – Allegation of misappropriation of Gram Panchayat funds without executing works and executed works with poor quality in Jajapur (V) of Narayanpet(M), Mahabubnagar District – Sri M.Chinnaiah, the then Deputy Executive Engineer, SD Narayanpet, presently working as Deputy Executive Engineer SD Panagal - Disciplinary proceedings under Rule 20 of Telangana Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No. 667

Dated: 10-09-2018

Read:

ORDER:

It is proposed to hold an enquiry against Sri M.Chinnaiah, the then Deputy Executive Engineer, SD Narayanpet, presently working as Deputy Executive Engineer SD Panagal in accordance with the procedure laid down in Rule 20 of the Teangana Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II&III).

3. Sri M.Chinnaiah, the then Deputy Executive Engineer, SD Narayanpet, presently working as Deputy Executive Engineer SD Panagal is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri M.Chinnaiah, the then Deputy Executive Engineer, SD Narayanpet, presently working as Deputy Executive Engineer SD Panagal is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri M.Chinnaiah, the then Deputy Executive Engineer, SD Narayanpet, presently working as Deputy Executive Engineer SD Panagal is further informed that if he does not submit his written statement of defence on or before the Period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Telangana Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri M.Chinnaiah, the then Deputy Executive Engineer, SD Narayanpet, presently working as Deputy Executive Engineer SD Panagal is invited to Rule 24 of the Telangana Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri M.Chinnaiah, the then Deputy Executive Engineer, SD Narayanpet, presently working as Deputy Executive Engineer SD Panagal is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Telangana Civil Services (Conduct) Rules, 1964.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

VIKAS RAJ

PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

To

Sri M.Chinnaiah, the then DEE, SD Narayanpet, presently working as Deputy

P.T.O.

::2::

Executive Engineer SD Panagal **through** the Engineer-in-Chief, PR, Hyderabad.
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
(with a request to serve and return the acknowledged copy and W.S.D.)

Copy to:

The Secretary to VC, TVC, Hyderabad.

The Director General (V&E), General Administration

(V&E) Department, BRKR Building, Hyderabad.

(w.r.t. Vigilance Report No.8 (336/V&E/E.III/2016), dt.28.02.2017)

SF/SC

//FORWARDED ::BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No. 667 , PR&RD (Vig.I) Deptt., dt.10.09.2018.)

STATEMENT SHOWING THE ARTICLE OF CHARGES FRAMED AGAINST SRI M.CHINNAIAH, THE THEN DEPUTY EXECUTIVE ENGINEER, PANCHAYAT RAJ, SD NARAYANPET, MAHABUBNAGAR DISTRICT, PRESENTLY WORKING AS DEE, SD PANAGAL.

CHARGE-I:

That the said Sri M. Chinnaiah, the then DEE, PR Narayanpet, presently working as DEE SD Panagal has recorded the work No.1 with excess measurements of flooring work and not deducted the seigniorage charges from the bill in M. Book due to this there is a loss of Rs.5751/- to Government exchequer.

BASIS:

V&E Officials have conducted an enquiry based on the petition received from members of Gram Panchayat Jajapur(V) of Narayanpet(M) of Mahabubnagar district. Accordingly the V&E officials enquired in to the allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur (V), Narayanpet(M), Mahabubnagar district, which stated the above lapses for the work.

Work No.1 Maintenance of GP building at Jajapur.

The recorded M Book measurements are verified with respect the field observation sheet and not tallied with respect to the flooring recording dates for the said works were not mentioned in the M.Book the check measurement of flooring was done without verifying the item is providing estimate or not in the seigniorage charges are provided in the estimate but the payment was made to the work without deducting the seigniorage in the M book. The excess payment was made to the Sarpanch for an amount of Rs.5751/- towards the difference in measurements and non deduction of seigniorage charges.

Thus the Sri M.Chinnaiah, DEE, PR check measured flooring item without verifying it is provided in the estimate or not.

Hence the charge.

CHARGE-II.

That the said Sri M.Chinnaiah, the then DEE(PR) Narayanpet presently working as DEE SD Panagal has recorded the work No.2 with excess quantity of CC road M 20 Grade concrete due to this there is a loss of Rs.4368/- to Government exchequer seigniorage charges are not provided in the estimate.

BASIS:

The V&E officials have conducted an enquiry based on the petition received from members of Gram Panchayat Jajapur(V) of Narayanpet(M) of Mahabubnagar district. Accordingly the V&E officials enquired into the Allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur (V), Narayanpet(M), Mahabubnagar District which stated the above lapses for the work.

Work No.2. Laying of CC road from Ramakrishna(H) to B.Thippana(H) at Jajapur (V) Narayanpet (M).

The recorded M book measurements as per specifications are verified with respect to the field observation sheet and found not tallied. The recording dates for the said work are not mentioned in the M.Book by the A.E. The seigniorage charges are not provided in the estimate data and it was technically sanctioned by the DEE(PR) SD Narayanpet. The deficiency in the quantity of CC road M20 Grade mix is 0.87 cum and the value of the deficiency is Rs.4368/-

P.T.O.

::2::

The Seigniorage charges are not provided in the estimate data and it was technically sanctioned by the DEE(PR) Sri Chinnaiah due to which an amount of Rs.4368/- was occurred.

Hence the charge.

CHARGE-III

That the said Sri M.Chinnaiah, the then DEE (PR) Narayanpet, presently working as DEE SD Panagal has recorded the work No.4 with excess quantity of CC road M 20 Grade concrete due to this there is a loss of Rs.8485/- to Government exchequer seigniorage charges are not provided in the estimate.

BASIS:

The V&E officials have conducted an enquiry based on the petition received from members of Gram Panchayat Jajapur(V) of Narayanpet (M) of Mahabubnagar district. Accordingly the V&E officials enquired into the allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur (V), Narayanpet(M), Mahabubnagar district, which stated the above lapses for the work.

Work No.4 Laying of CC road from B.Thippana(H) to K.Narayana(H) at Jajapur(V) Narayanpet(M).

The recorded M book measurements as per specifications are verified with respect the field observation sheet and found not tallied. The recording dates for the said work are not mentioned in the M.book by the A.E. The seigniorage charges are not provided in the estimate data and it was technically sanctioned by the DEE(PR) SD Narayanpet. The deficiency in the quantity of CC road M20 Grade Mix is 1.69 cum and the value of the deficiency is Rs.8485/-. The results are furnished by the superior lab consultancy service it is found that the three CC sample have passed the compressive strength out of the (3) CC samples taken.

The CC road estimate is technically sanctioned without adding Seigniorage charges in the data by the DEE(PR) Sri M.Chinnaiah, due to which an amount of Rs.8485/- was occurred.

Hence the charge.

CHARGE-IV:

That the said Sri M.Chinnaiah, the then DEE(PR) Narayanpet, presently working DEE SD Panagal has recorded the work No.5 with excess quantity of CC road M 20 Grade concrete due to this there is a loss of Rs.13,707/- to Government exchequer seigniorage charges are not provided in the estimate.

BASIS:

The V&E officials have conducted an enquiry based on the petition received from members of Gram Panchayat Jajapur(V) of Narayanpet(M) of Mahabubnagar district. Accordingly, the V&E officials enquired into the allegations of misappropriation of GP funds without executing and executed with poor quality of works in Jajapur(V) of Narayanpet(M) of Mahabubnagar district which stated the above lapses for the work.

Work No.5: Laying of CC road near A.Hanumanthu(H) and Drains at Jajapur(V), Narayanpet(M).

The recorded M book measurements as per specifications are verified with respect the field observation sheet and found not tallied. The recording dates for the said work are not mentioned in the M.Book by the A.E. The seigniorage charges are not provided in the estimate data and it was technically sanctioned by the DEE (PR) SD Narayanpet. The deficiency in the quantity of CC road M20 Grade Mix is 2.73 cum and the value of the deficiency is Rs.13,707/-. The four CC road works ie., work No.2 to work No.5 are laid on same day and cores are extracted from the CC roads for compressive strength test the details. The results are furnished by the superior lab consultancy service it is found that the four CC sample have passed the compressive strength out of the four CC samples taken.

(Contd..on page 3)

::3::

The CC road estimate is technically sanctioned without adding Seigniorage charges in the data by the Sri M.Chinnaiah, DEE(PR) due to which an amount of Rs.13,707/- was occurred.

Thus, Sri M.Chinnaiah, the then DEE(PR) Narayanpet presently working DEE SD Panagal has failed to discharge his legitimate duties properly. Thus his action is in violation of Rule (3) of TCS (Conduct) Rules, 1964.

Hence the charge.

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER

ANNEXURE-II

(Annexure to G.O.Rt.No. **667** , PR&RD (Vig.I) Deptt., dt.10.09.2018.)

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI M.CHINNAIAH, THE THEN DEPUTY EXECUTIVE ENGINEER, PANCHAYAT RAJ, NARAYANPET, MAHABUBNAGAR DISTRICT, PRESENTLY WORKING AS DEE, SD PANAGAL.

Vigilance Report No.8 (336/V&E/E.III/2016), dated.28.02.2017 of GA(V&E) Department, Govt., of Telangana.

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER

ANNEXURE-III

(Annexure to G.O.Rt.No. **667** , PR&RD (Vig.I) Deptt., dt.10.09.2018.)

LIST OF WITNESSES BY WHOM ARTICLES OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI M.CHINNAIAH, THE THEN DEPUTY EXECUTIVE ENGINEER, PANCHAYAT RAJ, NARAYANPET, MAHABUBNAGAR DISTRICT, PRESENTLY WORKING AS DEE, SD PANAGAL.

- NIL -

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER